

FIG. 1

DSC (bottom) and TGA (top) of Rubitecan Form A.




FIG. 2

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:06:50 2000
Number of sample scans: 128
Number of background scans: 128
Resolution: 2.000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture 69.00




FIG. 3

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 20:43:15 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 32.0
Mirror velocity: 0.3165
Aperture: 59.00




FIG. 4




FIG. 5

DSC (bottom) and TGA (top) of Rubitecan Form B.




FIG. 6

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:31:51 2000
Number of sample scans: 128
Number of background scans: 128
Resolution: 2.0000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 69.00




FIG.

7

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 21:08:40 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 64.0
Mirror velocity: 0.3165
Aperture: 59.00

82

{

9-
8-
7-
6-
5-
4-
3-
2-
1-

Raman intensity

80

3000
2500
2000
1500
1000
500

Raman shift (cm⁻¹)

8

FIG.




FIG. q

DSC (bottom) and TGA (top) of Rubitecan Form C




FIG. 10

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:40:03 2000
Number of sample scans: 128
Number of background scans: 128
Resolution: 2.000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 69.00




FIG. 11

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 21:02:29 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 64.0
Mirror velocity: 0.3165
Aperture: 59.00

Raman intensity




FIG. 12




FIG. 13

DSC (bottom) and TGA (top) of Rubitecan Form D.




FIG. 14

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:22:39 2000
Number of sample scans: 128
Number of background scans: 128
Resolution: 2.000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 69.00




FIG. 15

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 20:49:39 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 64.0
Mirror velocity: 0.3165
Aperture: 59.00

162

30 -

25 -

20 -

15 -

10 -

5 -

Raman intensity

160

~ 169

3000

2500

2000

1500

1000

500

3500

2500

2000

1500

1000

500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

1500

2000

2500

3000

3500

<





FIG. 17

DSC (bottom) and TGA (top) of Rubitecan Form E.



IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Sat Feb 26 18:14:49 2000
Number of sample scans: 128
Number of background scans: 128
Resolution: 2.000
Sample Gain: 8.0
Mirror Velocity: 0.6329
Aperture: 69.00





FIG. 19

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Sat Feb 26 20:55:54 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 64.0
Mirror velocity: 0.3165
Aperture: 59.00

202



200

FIG. 20




FIG. 21

TGA of Rubitecan Form F.

Sample: RUBITECAN
Size: 0.6500 mg
Method: RUBITECAN
Comment: SSCI# 3131902, DMF/25%H₂O, AVSC, NTBK 270-62

File: D:\dsctga\tg2-378.tga
Operator: BAC
Run Date: 4-Apr-00 10:07





FIG. 22

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Thu May 11 11:25:27 2000
Number of sample scans: 256
Number of background scans: 256
Resolution: 4.0000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 100.00



FT 6. 23

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Thu May 11 13:32:48 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.0000
Sample gain: 32.0
Mirror velocity: 0.3165
Aperture: 59.00

242




FIG. 24




FIG. 25

DSC (bottom) and TGA (top) of Rubitecan Form G.




FIG. 26

IR Spectrum, Nicolet model 860 FT-IR

Acquisition Parameters

Collection time: Thu May 18 20:28:17 2000
Number of sample scans: 128
Number of background scans: 128
Resolution 2.000
Sample gain: 8.0
Mirror velocity: 0.6329
Aperture: 69.00




FIG. 27

Raman Spectrum, Nicolet model 860 FT-Raman

Acquisition Parameters

Collection time: Thu May 18 21:09:50 2000
Number of sample scans: 128
Number of background scans: 0
Resolution: 4.000
Sample gain: 4.0
Mirror velocity: 0.3165
Aperture: 59.46




FIG. 28

XRPD Patterns of Rubitecan Solid Forms Containing Amorphous Material.

*** Multi Plot ***




Fig. 29